



TECHNOPOLYMER



Polypropylene




Aluminum



Stainless steel

RACK & PINION ACTUATORS



SCOTCH - YOKE ACTUATORS



Aluminum



TECHNOPOLYMER



Stainless steel



Explosion Proof

LIMIT SWITCH BOX



EV61 IP65

EV91



EV61X

VIP



EV71



EV81

SOLENOID VALVE



PNEUMATIC POSITIONERS
WITH GAUGES
PNY01-3-15PSI, Universal MTG

ELECTRO-PNEUMATIC
POSITIONER
WITH GAUGES
PEY01-4-20mA, Universal MTG
PEY02-4-20mA, Universal MTG

Explosionproof EEx md
PEY04-4-20mA, Universal
MTG,LS



SMART POSITIONERS-
EXPLOSION PROOF
EEx d IIB T6 ATEX II 2 G
Approved

Smart Positioners-Optional
Features
Smart Positioner Transmitter
Adder
Smart Hart Protocol Adder
Smart Limit Switch Adder



STAINLESS STEEL
ELECTRO-PNEUMATIC
POSITIONERS

Legend
LS-Limit Switch, PTM-Position
Transmitter



SMART
SMART POSITIONERS
intrinsically Safe EEx ia-ATEX II
2G approved



SMART POSITIONERS-
STAINLESS STEEL

POSITIONER

ACCESSORIES



Important Suggestion: Use of filter regulator is the key to long life performance



SPEED REGULATING PLATES



-Small in volume, light weight

-Equipped with integral mounting flange according to ISO5211 for an easy and cost effective actuator assembly

-Double Square connection according to ISO 5211 ,allowing for easy and direct mounting also for valves with square stem at 45°

-Made in Cast Iron

-Wide torque .range from 300 Nm to 6000 Nm



ADAPTERS



BRACKET AND COUPLINGS

SPECIAL APPLICATION



Special Rotations



180° Spring Return Actuators



180° Center Return Actuators



Electro-hydraulic Actuators



3 Position Actuators



Actuators with Accumulator tank